FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: FORS-04623

Serial No.: 09/660,924

Applicant: James E. Dahlberg et al.

INFORMATION DISCLOSUS STATEMENT BY APPLICANT (Use Several heets If Necessary)

(37 CFR § 1.98(b))				Filing Date: 09/13/2000		Group Art Unit: 1636			
				U.S. PATENT DOC	UMENTS				
Examiner Initials		Serial / Patent Number	Issue Date	Applicant / Patentee		Class	Subclass	Filing	g Date
1		4,683,195	7/28/87	Mullis <i>et al</i> .		435	6	2/7/86	
	2 4,683,202 7/28/87			Mullis	435	91	10/25/85 8/3/89		
	3	3 5,108,892 4/28/92 Burke et al.		rke <i>et al.</i>	435	6			
	4	5,144,019	9/1/92	Ro	ssi <i>et al</i> .	536	27	6/21/89	
	5	4,511,502	11,502 4/16/85		lder et al.	260	112	6/1	/84
	6	4,518,526	5/21/85		Olson	260	112	6/1	/84
	7	4,511,503	4/16/85	Ols	Olson et al.		112	6/1/84	
	8	4,512,922	4/23/85	Jor	nes et al.	260	112	6/1/84	
	9	5,455,170	10/03/95	Abra	Abramson et al.		252.3	8/27/93	
	10	5,614,402	5/25/97	Dahl	berg et al.	435	199	6/6/94	
	11	5,541,311	7/30/96	Dahl	berg et al.	536	23.7	6/4/93	
	12	5,422,242	6/6/1995	Young		435	6	7/17/92	
T	13	5,422,253			435	91.53	12/7/92		
		FC	REIGN PATENTS (OR PUBLISHED FOR	REIGN PATENT APPL	ICATIONS			
Document Publication Date		Country	Country / Patent Office		Subclass	Trans Yes	lation		
Mn	14	WO 90/01069	2/8/90		PCT	C12Q	1/68		
	15	WO 92/06200	4/16/92		PCT	C12N	15/54		
	16	WO 91/09950	7/11/91		PCT	C12N	15/54		
	17	WO 90/15157	12/13/90		PCT	C12Q	1/68		
<u> </u>	18	0 482 714 A1	4/29/92		EPA	C12N	15/54		
		OTHER I	DOCUMENTS (Inclu	ding Author, Title, Da	ate, Relevant Pages, Pla	ace of Publication)			
4_	19	Barany, "Genetic di	sease detection and D	NA amplification usi	ng cloned thermostable	ligase," Proc. Natl.	Acad. Sci., 88:1	89 (1991)	<u>; </u>
	20	Barany, "The Ligase	e Chain Reaction in a	PCR World," PCR A	Methods and Applic., 1:	5 (1991);			
\perp	21	Wu and Wallace, "The Ligation Amplification Reaction (LAR) - Amplification of Specific DNA Sequences Using Sequential Rounds of Template-Dependent Ligation," Genomics 4:560 (1989);							
	22	Guatelli et al., "Isothermal, in vitro amplification of nucleic acids by a multienzyme reaction modeled after retroviral replication," Proc. Natl. Acad. Sci., 87:1874-1878 (1990) with an erratum at Proc. Natl. Acad. Sci., 87:7797 (1990);							
	23	Kwoh et al., "Transcription-based amplification system and detection of amplified human immunodeficiency virus type 1 with a bead-based sandwich hybridization format," Proc. Natl. Acad. Sci., 86:1173-1177 (1989);							
	24	Fahy et al., "Self-su PCR Meth. Appl., 1		plication (3SR): An I	sothermal Transcription	n-based Amplificatio	n System Altern	ative to PC	CR,"
<u> </u>	25	Landgren, "Molecul	ar mechanics of nucle	eic acid sequence amp	olification," Trends in C	Genetics 9:199 (1993);		
1	26	Mullis, "The Polymi 1:1 (1991);	erase Chain Reaction	in an Anemic Mode:	How to Avoid Cold C	Digodeoxyribonuclea	ar Fusion," <i>PCR</i>	Methods A	(pplic
1	Kwok et al., "Effects of primer-template mismatches on the polymerase chain reaction: Human immunodeficiency virus type 1 model studies," Nucl. Acids Res., 18:999 (1990);								
				`					

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 (Modified)

DEC 0 2 2002 B

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: FORS-04623

Serial No.: 09/660,924

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

Applicant: James E. Dahlberg et al.

Filing Date: 09/13/2000

Group Art Unit: 1636

Barlow and Lehrneh, "Genetics by gel electrophoresis: the impact of pulsod field gel electrophoresis on mammalian genetics," Trends Genes, 3:16 (1987); 12 Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106 (1989); 23 Connec, et al., "Detection of sickle cell β"-globin allele by hybridization with symbotic oligonucleotides," Proc. Natl. Acad. Sci. 80:278-282 (1983); 34 Vogelacine et al., "Genetic Aherations During Coloratal-Tumor Development," N. Eng. J. Med. 319-525-532 (1988); 35 Farr et al., "Analysis of RAS gene mutations in acute myeloid leukemia by polymerase chain reaction and oligonucleotide probes," Proc. Natl. Acad. Sci. 180-163-163 (1988); 35 Lyons, et al., "Two of Protein Oncogenes in Human Endocrine Tumors," Science 249-655-659 (1990); 36 Lyons, et al., "Two of Trotein Oncogenes in Human Endocrine Tumors," Science 249-655-659 (1990); 37 Abrana et al., "Compolerative Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and a GC Clamp," Committee 746-745 (1990); 38 Sheffield, et al., "Antachment of a 40-base-pair Gr-C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction result in improved detection of single-base changes," Proc. Natl. Acad. Sci. 362-32-326 (1989); 39 Lerman and Stirstein, "Compositional Simulation of DNA Melting and its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enymond, 155-882-501 (1987); 40 Wartell et al., "Detecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., "Neverl Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:317-223 (1988); 42 Boream et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Schols, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Usi	(37 CFR § 1.9	98(b))	Filing Date: 09/13/2000 Group Art Unit: 1636					
Undes et al., "A novel method for the rapid detection of specific nucleotide sequences in crude biological samples without blotting or radioactivity (1) Gogos et al., "Decetion of single base minarathes of thoman aroun." Gone 61:253-264 (1987). 31 Gogos et al., "Decetion of single base minarathes of human aroun." Gone 61:253-264 (1987). 32 Perlman and Button, "Mobile introns and Inten-Encoded Proteins," Science 246-1106 (1989). 33 Connet, et al., "Detection of single base Encoded Proteins," Science 246-1106 (1989). 34 Vogelacin et al., "Conceid Alterations During Colorectal-Tumor Development," N. Eng. J. Med. 319-225-532 (1988). 35 Farr et al., "Analysis of Acts gene mutations in acute myeloid leukenia by polymerase chain reaction and oligonucleotide probes," Proc. Netl. Acad. Sci. 80-278-182 (1983). 35 Farr et al., "Analysis of Acts gene mutations in acute myeloid leukenia by polymerase chain reaction and oligonucleotide probes," Proc. Netl. Acad. Sci. 80-278-182 (1983). 36 Lyons, et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249-655-659 (1990). 37 Abrama et al., "Comprehensive Detection of Single Base Changes in Human Endocrine Tumors," Science 249-655-659 (1990). 38 Sheffleck, et al., "Attachment of a 40-base-pair off-cricis sequence (GC-tamp) to genomic DNA Bigments by the polymerase chain reaction result in improved detection of night-base changes," Proc. Natl. Acad. Sci. 80-282-296 (1989). 39 Lerman and Silverzein, "Computational Simulation of DNA Melting and its Application to Denaturing Gradient Gel Electrophoresis and to Electrophoresis," Necl. Acid. Res., 18-2699-2701 (1990). 40 Warstell et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 13:11-222 (1988). 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 13:11-122 (1988). 42 Borson et al., "Conjustation and Specific Recombination in Deoxyribo			OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
application to the analysis if hopatitis B virus in haman senum. *Gene 61253-264 (1987); Gogos et al., *Theretion of single base minamathes of drymine and cytosine residues by potassium permanganate and hydroxylamine in the present of testallylammonium salts,* *Nucl. Acids Res.,* 18:6807-6817 (1990); 31 Bariow and Lehnach, *Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics,* *Trends Genet.,* 3:16 (1987); 32 Perfman and Butow, *Nubble hutnons and Intron-Encoded Proteins,* *Science 246:1106 (1989); 33 Commer, et al., *Detection of sickle cell B*globin allete by hybridization with synthetic oligonucleotides,* *Proc. Natl. Acad. Sci. 80:278-282 (1983); 34 Vogelation et al., *Genetic Alterations During Colorectal-Tumor Developments,* *N. Eng. J. Med. 319:235-532 (1988); 35 Farr et al., *Analysis of RAS gene mutations in scute mychoid leukemia by polymerase chain reaction and oligonucleotide probes.,* *Proc. Natl. Acad. Sci. 1629-163 (1988); 35 Lyons, et al., *Two of Protein Oncogenes in Human Endocrine Tumora,* *Science 249-555-599 (1990); 36 Abrana et al., *Comporter-1460-373 (1990); 37 Abrana et al., *Comporter-1460-373 (1990); 38 Shiffield, et al., *Attachment of a 40-base-pair G*C-rich sequence (G*C-clamp) to genomic DNA fragments by the polymerase chain reaction result in improved detection of single-base changes,* *Proc. Natl. Acad. Sci., 36:233-236 (1995); 38 Lerman and Silverstein, *Comporter-1460-373 (1990); 39 Lerman and Silverstein, *Comporter-1460-373 (1990); 40 Westell et al., *Depocting base pari substitutions in DNA fragments by temperature gradient pel electrophoresis,* *Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., *Nuvel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution, *Genomics 3:171223 (1988); 42 Bornesce et al., *Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations,* *Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Scholic, et	h	28	Duck et al., "Probe Amplifier System Based on Chimeric Cycling Oligonucleotides," BioTech., 9:142 (1990);					
Station and Lehrach, "Genetics by gel electrophoresis: the impact of polsod field gel electrophoresis on mammalian genetics," Trends Genet., 3:16 (1987). 132 Perliman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106 (1989); 133 Connec, et al., "Detection of sickle cell pl"-globin allete by hybridization with symbotic oligonucleotides." Proc. Natl. Acad. Sci. 89:278-282 (1982). 134 Vogelacine et al., "Genetic Attentions During Colorectal-Tumor Development," N. Eng. J. Med. 319:325-532 (1988); 135 Farr et al. "Analysis of RAS. gene mutations in acute myeloid leukemia by polymerase chain reaction and oligonocleotide probes," Proc. Natl. Acad. Sci. 83:1639-1633 (1988). 136 Lyots, et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249:655-659 (1990); 137 Abanas et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and a GC Clamp," Genomic 7:646-718 (1990); 138 Sheffield, et al., "Attachment of a 40-base-pair Gr-C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction reaction in the improved detection of single-base changes," Proc. Polit. Acad. Sci. 86:232-236 (1995); 139 Lerman and Silvestein, "Computational Simulation of DNA Melting and its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enroword, 155:482-501 (1987); 140 Wartell et al., "Dejecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nacl. Acids Res., 18:2699-2701 (1990); 141 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 22:127-232 (1988). 142 Scholic, et al., "Repid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1991); 143 Scholic, et al., "Repid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1991); 144 Hayashi, "PC		29	Urdea et al., "A novel method for the rapid detection of specific nucleotide sequences in crude biological samples without blotting or radioac application to the analysis if hepatitis B virus in human serum," Gene 61:253-264 (1987);					
Perlman and Butow, 'Mobile Introns and Intron-Encoded Proteins,' Science 246:1106 (1989); 32 Perlman and Butow, 'Mobile Introns and Intron-Encoded Proteins,' Science 246:1106 (1989); 33 Connex, et al., 'Detection of sickle cell β*-globin allele by hybridization with symbetic oligonucleotides,' Proc. Natl. Acad. Sci. 80:278-282 (1983); 34 Vogelactin et al., 'Genetic Alterations During Colorectal-Tumor Development,' N. Eng. J. Med. 319:535-532 (1988); 35 Fair et al., 'Analysis of RAS gene mutations in acute myeloid leukemia by polymense chain reaction and oligonucleotide probes,' Proc. Natl. Acad. Sci. 85:1659-1633 (1988); 36 Lyons, et al., 'Two G Protein Oncogenes in Human Endocrine Tumors,' Science 249:655-659 (1990); 37 Alvans et al., 'Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and et GC Clamp. Genomic 7:463-475 (1990); 38 Sheffield, et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fingments by the polymenase chain reaction result in improved detection of single-base changes," Proc. Natl. Acad. Sci. 86:232-236 (1989); 39 Lemman and Silverstein, 'Computational Simulation of DNA Melting and its Application to Denaturing Gradient Gel Electrophoresis," Med. Acids Res., 18:2699-2701 (1990); 40 Wartell et al., 'Detecting base pari substitutions in DNA fingments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Sinite et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution, Genomics 3:217-229 (1988); 42 Bornesen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8403 (1991); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis." Acad. Sci. USA 88:8403 (1991); 44 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA." PCR Method Appl.,		30	Gogos et al., "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the present of tetralkylammonium salts," Nucl. Acids Res., 18:6807-6817 (1990);					
Conner, et al., "Detection of sickle cell β*-globin allele by hybridization with symbetic oligonucleotides," Proc. Natl. Acad. Sci. 80:278-282 (1983) Vogelstein et al., "Genetic Alterations During Colorectal-Tumor Development," N. Eng. J. Med. 319:525-532 (1988); Far et al., "Analysis of ASS gene mutations in acute myeloid leukemia by polymense chain reaction and oligonucleotide probes," Proc. Natl. Acad. Sci. 85:167-183 (1988); 136		31	Barlow and Lehrach, "Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics," <i>Trends Genet.</i> , 3:16 (1987);					
Vogelstein et al., "Genetic Alterations During Colorectal-Tumor Development," N. Eng. J. Med. 319:525-532 (1988); The et al., "Analysis of RAS gene mutations in scute myeloid leukemia by polymerase chain reaction and oligonucleotide probes," Proc. Natl. Acad. Sci. 81:629-1633 (1988); John St. 81:629-1633 (1988); Abrams et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249:655-659 (1990); Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and et Gel Clamp," Genomics 7:463-475 (1990); Sheffilld, et al., "Attachment of a 40-base-pair GH-Crich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction resul improved detection of single-base changes," Proc. Natl. Acad. Sci. 36:232-236 (1989); Lerman and Silvestein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Expmol., 155:482-591 (1987); 40 Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acid. Res., 18:2699-2701 (1990); 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:17-223 (1988); 42 Bornesen et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:17-234 (1988); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis," Nucl. Acad. Sci. USA 88:8405 (1991); 44 Hayashi, "PCR-SSCP. A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); 45 Orita, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Gene. 2:2155 (1993); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur		32	Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106 (1989);					
Farr et al., "Analysis of RAS gene mutations in acute mycloid leukemia by polymense chain reaction and oligonucleotide probes," Proc. Natl. Acad. Sci. 85:1629-1633 (1988); 36 Lyons, et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249:655-659 (1990); 37 Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and a G C Clamp," Genomics 7:463-475 (1990); 38 Sheffield, et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymense chain reaction resu in improved detection of single-base changes," Proc. Natl. Acad. Sci. 86:232-236 (1899); 39 Lerman and Silvestein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Exproycl. 15:5482-250 (1985); 40 Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988); 42 Bornesen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:1255 (1993); 44 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Math. Appl., 1:34-38, (1991); 45 Oric, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1986); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Sirand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci.								
Lyons, et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249:655-659 (1990); Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophorasis and a GC Clamp," Genomics 7:463-475 (1990); 38 Sheffield, et al., "Attachment of a 40-base-pair GP-C-rich sequence (GC-clamp) to genomic DNA fragments by the polymense chain reaction resu in improved detection of Single-base changes," Proc. Natl. Acad. Sci., 86:232-236 (1989); 39 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Empmol., 153:482-501 (1987); 40 Wartell et al., "Constituted and Simulation of DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988); 42 Borreen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); 44 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); 45 Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymense Chain Reaction," Genomics 5:374 (1982); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acide: Biological Studies," Proc. Natl. Acad. Sci. USA 46-451 (1960); 48 Dovy et al., "Sprand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46-461 (1960); 49 W								
Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denahuring Gradient Gel Electrophoresis and at GC Clamp," Genomics 7:463-475 (1990); 38 Sheffield, et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymense chain reaction result in improved detection of single-base changes," Proc. Natl. Acad. Sci., 86:232-236 (1989); 39 Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol., 155:482-501 (1987); 40 Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988); 42 Borreson et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); 44 Hayashi, "PCR-SSCP. A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); 45 Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymense Chain Reaction," Genomics 5:874 (1989); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Mamur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:451 (1960); 48 Doy et al., "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 50 Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High								
GC Clamp, *Genomics 7:463-475 (1990); GENOMA *Genomics 7:463-475 (1987); Jerman and Silverstein, *Computational Simulation of DNA Melting and its Application to Denaturing Gradient Gel Electrophoresis,* *Meth. *Genomics 7:153-482-301 (1987); Wartell et al., *Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis,* *Mucl. Acids Res., 18:2699-2701 (1990); Wartell et al., *Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution,* *Genomics 3:217-232 (1988); Borresen et al., *Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations,* *Proc. Natl. Acad. Sci. USA 88:8405 (1991); Genet 2:2155 (1993); Saholz, et al., *Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis,* *Hum. Mol. *Genet** 2:2155 (1993); Hayashi, *PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA,* *PCR Meth. Appl., 1:34-38, (1991); This, *Liu and Sommer**, *Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP,* *PCR Method: Appl., 4:97 (1994); Marmur and Lane, *Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies,* *Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., *Application of synthetic oligonucleotides to the diagnosis of burnan genetic diseases,* *Biochimie 67:755 (1985); Studencki and Wallace, *Allet-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human B*, B*, and B*-Globin Genes Using Allet-Specific Coligonucleotide Hybridization Probes,* *Human Genetics 37:42 (1985); Harrington and Liener, *Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair,* *Genes and Develop.* 8:1344 (1994); Marm		36	Lyons, et al., "Two G Protein Oncogenes in Human Endocrine Tumors," Science 249:655-659 (1990);					
Lemma and Silvestein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enymod., 153:482-501 (1987); 40 Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); 41 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988); 42 Borresen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations." Proc. Natl. Acad. Sci. USA 88:8405 (1991); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:21155 (1993); 44 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA." PCR Meth. Appl., 1:34-38, (1991); 45 Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 7:874 (1989); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:451 (1960); 48 Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 50 Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β*, and β*-Globin Genes," DMA 3:1 (1984); 51 Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Punit of Cleavage," J. Biol. Chem. 269:1191 (1994); 52 Harrington and Lience, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: imp		Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electropho GC Clamp," Genomics 7:463-475 (1990);						
Enzymol., 155:482-301 (1987); Wartell et al., "Detecting base pari substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res., 18:2699-2701 (1990); Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988); Bornesen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); 43 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); 44 Hayachi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1989); 45 Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1989); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:451 (1960); 48 Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 49 Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); 50 Studencki et al., "Discrimination among the Human β*, β*, and β*-Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); 51 Studencki et al., "The Calf		38	Sheffield, et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction result in improved detection of single-base changes," Proc. Natl. Acad. Sci., 86:232-236 (1989);					
Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988): Borresen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); At Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 879, (1989); At Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453 (1960); At Hayase al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human Ps. and Ps-Globin Genes," Dath 3:1 (1984); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murrante et al., "The Call 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 29:1191 (1994); Date Considered. Include copy of this form with		39	Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," Meth. Enzymol., 155:482-501 (1987);					
Borresen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991); Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 (1989); 45		40						
Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155 (1993); Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 879, (1989); Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453 (1960); Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allete-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β*- and β*-Globin Genes," DMA 3:1 (1984); Studencki et al., "Discrimination among the Human β*-, β*, and β*-Globin Genes Using Allete-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: 1/1/04 Liu ETTER Litital citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		41	Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 3:217-223 (1988);					
Genet. 2:2155 (1993); 44 Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991); Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 879, (1989); 45 Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 879, (1989); 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 48 Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 49 Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimite 67:755 (1985); 50 Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^A , and β ^C -Globin Genes," DNA 3:1 (1984); 51 Studencki et al., "Discrimination among the Human β ^A , β ^C , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); 52 Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); 53 Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); 54 Date Considered: 1// O 4 Liu T T T Date Considered: Include copy of this form with		42	Borresen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405 (1991);					
Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," Genomics 5:874 46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); 47 Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453 (1960); 48 Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); 49 Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); 50 Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Δ - and β ^Δ -Globin Genes," DNA 3:1 (1984); 51 Studencki et al., "Discrimination among the Human β ^Δ , β ^Δ , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); 52 Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); 53 Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); 54 Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Genet. 2:2155 (1993);						
Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Appl., 4:97 (1994); Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453 (1960); Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Δ , and β ^C -Globin Genes," DNA 3:1 (1984); Studencki et al., "Discrimination among the Human β ^Δ , β ^Δ , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: **\frac{1}{2} \text{ Q.Q.} Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		44	Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," PCR Meth. Appl., 1:34-38, (1991);					
Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. Sci. USA 46:453 (1960); Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Δ - and β ^β -Globin Genes," DNA 3:1 (1984); Studencki et al., "Discrimination among the Human β ^Δ , β ^β , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: 1/1/04 Little Calminer Considered: 1/1/04		Orita, et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the polymerase Chain Reaction," 879, (1989);						
46:453 (1960); Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Natl. Acad. Sci. USA 46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Λ - and β ^β -Globin Genes," DNA 3:1 (1984); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Λ - and β ^β -Globin Genes," DNA 3:1 (1984); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Λ - and β ^β -Globin Genes," DNA 3:1 (1984); Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide existion repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: 1/1/04 Linitial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		.46 Liu and Sommer, "Parameters Affecting the Sensitivity of Dideoxy Fingerprinting and SSCP," PCR Methods Ap						
46:461 (1960); Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985); Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^Δ - and β ^S -Globin Genes," DNA 3:1 (1984); Studencki et al., "Discrimination among the Human β ^Δ , β ^S , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: \(\frac{1}{2} \) \(1		Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic acids: Biological Studies," Proc. Natl. Acad. 46:453 (1960);						
Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β ^A , and β ^B -Globin Genes," DNA 3:1 (1984); Studencki et al., "Discrimination among the Human β ^A , β ^B , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: \(\frac{1}{2} \) \(\frac{1}{		Doty et al., "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," Proc. Nat 46:461 (1960);						
Studencki et al., "Discrimination among the Human β ^A , β ^B , and β ^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985); Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: 1/04 Littial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		49	Wallace et al., "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," Biochimie 67:755 (1985);					
Human Genetics 37:42 (1985); 152 Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994); 153 Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); 154 Date Considered: "1/04 155 Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		50	Studencki and Wallace, "Allele-Specific Hybridization using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the β^A - and β^S -Globin Genes," <i>DNA</i> 3:1 (1984);					
nucleotide excision repair," Genes and Develop. 8:1344 (1994); Murante et al., "The Calf 5'- to 3'-Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," J. Biol. Chem. 269:1191 (1994); Date Considered: \(\frac{1}{2} \) \(51	Studencki et al., "Discrimination among the Human β ^A , β ^g , and β ^c -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," Human Genetics 37:42 (1985);					
Point of Cleavage, J. Biol. Chem. 269:1191 (1994); aminer: Date Considered: 4/1/04 Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		52	Harrington and Liener, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop. 8:1344 (1994);					
(AMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with		53						
The state of the s	xaminer.	/h	J. NETTON Date Considered: 4/1/04					
	EXAMINER:							

FORM PTO-1449 U.S. Department of Commerce Attorney Docket No.: FORS-04623 Serial No.: 09/660,924 DEC 0 2 2002 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) Applicant: James E. Dahlberg et al. Group Art Unit: 1636 Filing Date: 09/13/2000 (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) 54 Kornberg, DNA Replication, W.H. Freeman and Co., San Francisco, pp. 127-139 (1980); 55 Tindall and Kunkell, Fidelity of DNA Synthesis by the Thermus aquaticus DNA Polymerase," Biochem. 27:6008 (1988); Brutlag et al., "An Active Fragment of DNA Polymerase Produced By Proteolytic Cleavage," Biochem. Biophys. Res. Commun. 37:982 56 57 Erlich et al., "Recent Advances in the Polymerase Chain Reaction," Science 252:1643 (1991); 58 Setlow and Kornberg, "Deoxyribonucleic Acid Polymerase: Two Distinct Enzymes in One Polypeptide," J. Biol. Chem. 247:232 (1972); 59 Gelfand, PCR Technology - Principles and Applications for DNA Amplification (H.A. Erlich, Ed.), Stockton Press, New York, p. 19 (1989); Holland et al., "Detection of specific polymerase chain reaction product by utilizing the 5'-3' exonuclease activity of *Thermus aquaticus* DNA polymerase," *Proc. Natl. Acad. Sci. USA* 88:7276 (1991); 60 Lawyer et al., "Isolation, Characterization, and Expression in Escherichia coli of the DNA Polymerase Gene from Thermus aquaticus," J. 61 Biol. Chem. 264:6427 (1989); Akhmetzjanov and Vakhitov, "Molecular cloning and nucleotide sequence of the DNA polymerase gene from Thermus flavus," Nucl. Acids 62 63 Setlow et al., "Deoxyribonucleic Acid Polymerase: Two Distinct Enzymes in One Polypeptide," J. Biol. Chem. 247:224 (1972); 64 Levine, "The Tumor Suppressor Genes," Annu. Rev. Biochem. 62:623 (1993); 65 Lane and Benchimol, "p53: oncogene or anti-oncogene," Genes Dev. 4:1 (1990); 66 Lowe et al., "p53-Dependent Apoptosis Modulates the Cytotoxicity of Anticancer Agents," Cell 74:957 (1995); Hollstein, et al., "Database of p53 gene somatic mutations in human tumors and cell lines," Nucleic Acids Res. 22:3551 (1994); 68 Cariello et al., "Database and software for the analysis of mutations at the human p53 gene," Nucleic Acids Res. 22:3549 (1994); 69 Hollstein et al., "Database of p53 gene somatic mutations in human tumors and cell lines," Nucleic Acids Res. 22:3551 (1994); Higuchi, R., In Ehrlich, H.A. (Ed.), PCR Technology: Principles and Applications for DNA Amplification, Stockton Press, New York, pp. 70 61-70 (1991); Nelson and Long, "A General Method of SIte-Specific Mutagenesis Using a Modification of the Thermus aquaticus Polymerase Chain 71 Reaction," Analytical Biochem. 180:147 (1989); Altamirano et al., "Identification of Hepatitis C Virus Genotypes among Hospitalized Patients in British Columbia, Canada," J. Infect. Dis. 72 73 Kanai et al., "HCV genotypes in chronic hepatitis C and response to interferon," Lancet 339:1543 (1992); Yoshioka et al., "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon-a Therapy: Relationship to 74 Genotypes of Hepatitis C Virus," Hepatology 16:293 (1992); Okamoto et al., "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and 75 tracing infectious sources," J. Gen. Virol. 73:673 (1992); 76 Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328:521 (1993); 77 Hughes, Scrip Magazine May (1994); 78 Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect. Dis. 19:1 (1994); Donnabella et al., "Isolation of the Gene for the \(\beta \) Subunit of RNA Polymerase from Rifampicin-resistant Mycobacterium tuberculosis and 79 Identification of New Mutations," Am. J. Respir. Dis. 11:639 (1994); Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of Mycobacterium tuberculosis by Means of Luciferase Reporter Phages," 80 Science 260:819 (1993): METTER Examiner: Date Considered:

DEC 0 6 2002

RECEIVED

U.S. Department of Commerce FORM PTO-144 Serial No.: 09/660,924 Attorney Docket No.: FORS-04623 DEC 0 2 2002 (Modified) Patent and Trademark Office INFOR TION DISCLOSUPE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary) Applicant: James E. Dahlberg et al. C BADENAET Group Art Unit: 1636 Filing Date: 09/13/2000 (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Shinnick and Jones in Tuberculosis: Pathogenesis, Protection and Control, Bloom, ed., American Society of Microbiology, Washington, 81 D.C., pp. 517-530 (1994); Yule, "Amplification-Based Diagnostics Target TB," Bio/Technology 12:1335 (1994); 82 Heym et al.,"Implications of multidrug resistance for the future of short-course chemotherapy of tuberculosis: a molecular study," Lancet 83 344:293 (1994); Morris et al., "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of Mycobacterium tuberculosis," J. Infect. Dis. 84 171:954 (1995); 85 Banerjee et al., "inhA, a Gene Encoding a Target for Isoniazid and Ethionamide in Mycobacterium tuberculosis," Science 263:227 (1994); Woese, "Bacterial Evolution," Microbiological Reviews, vol 51, No. 2. (1987); 86 Shibata, "Preparation of Nucleic Acid for Archival Material," in PCR: The Polymerase Chain Reaction, Mullis et al., eds. Birkhauser, 87 Boston, pp. 47-54 (1994); 88 Saiki et al., "Primer-Directed Enzymatic Amplification of DNA with a Thermostable DNA Polymerase," Science 239:487 (1988); Mullis and Faloona, "Specific Synthesis of DNA in Vitro via a Polymerase-Catalyzed Chain Reaction," Methods in Enzymology 155:335 89 M. Bargseid et al., "A High Fidelity Thermostable DNA Polymerase Isolated from Pyrococcus furiosus," Strategies (Startagene, LaJolla, 90 CA) 4:34 (1991); 91 Perler et al., "Intervening sequences in an Archaea DNA polymerase gene," Proc. Natl. Acad. Sci. USA 89:5577 (1992); Kaledin et al., "Isolation and Properties of DNA Polymerase From the Extremely Thermophilic Bacterium Thermus flavus," Biokhimiya 92 46:1576 (1981): Carballeira et al., "Purification of a Thermostable DNA Polymerase from Thermus thermophilus HB8, Useful in the Polymerase Chain 93 Reaction," Biotechniques 9:276 (1990); 94 Myers et al., "Reverse Transcription and DNA amplification by a Thermus thermophilus DNA Polymerase," Biochem. 30:7661 (1991); Ito et al., "Compilation and alignment of DNA polymerase sequences," Nucl. Acids Res. 19:4045 (1991); 95 Mathur et al., The DNA polymerase gene from the hyperthermophilic marine archaebacterium Pyrococcus furiosus, shows sequence 96 homology with a-like DNA polymerases," Nucl. Acids. Res. 19:6952 (1991); Dunn et al., "Complete Nucleotide Sequence of Bacteriophage T7 DNA and the Locations of T7 Genetic Elements," J. Mol. Biol. 166:477 97 98 Antao et al., "A thermodynamic study of unusually stable RNA and DNA hairpins," Nucl. Acids Res. 19:5901 (1991); Stark, "Multicopy expression vectors carrying the lac repressor gene for regulated high-level expression of genes in Escherichia coli," Gene QQ Studier and Moffatt, "Use of Bacteriophage T7 RNA Polymerase to Direct Selective High-level Expression of Cloned Genes," J. Mol. Biol. 100 189:113 (1986): Sambrook et al., Molecular Cloning. A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, pp. 1.63-1.69 101 102 Engelke, "Purification of Thermus Aquaticus DNA Polymerase Expressed in Escherichia coli," Anal. Biochem 191:396 (1990); Copley and Boot, "Exonuclease Cycling Assay: An Amplified Assay for the Detection of Specific DNA Sequences," BioTechniques 13:888 103 (1992): King, R.A., et al., "Non-random Distribution of Missense Mutations Within the Human Tyrosinase Gene in Type I (Tyrosinase-104 related)Oculocutaneous Albinism," Mol. Biol. Med. 8:19 (1991); Giebel et al., "Organization and Nucleotide Sequences of the Human Tyrosinase Gene and a Truncated Tyrosinase-Related Segment," 105 Genomics 9:435 (1991); 106 Spritz, "Molecular genetics of oculocutaneous albinism," Human Molecular Genetics 3:1469 (1994); NETTER 04 Date Considered: Examiner: EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO 1449 DEC 0 2 2002 (Modified)

(37 CFR § 1.98(b))

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: FORS-04623

Serial No.: 09/660,924

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Secral Sheets If Necessary)

Applicant: James E. Dahlberg et al.

Filing Date: 09/13/2000

Group Art Unit: 1636

(3. 3	JU(U)/ ,.						
		OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)					
Ach	107	Giebel et al., "A Tyrosinase Gene Missense Mutation in Temperature-sensitive Type I Oculocutaneous Albinism," J. Clin. Invest. 87:1119 (1991);					
10	108	Bouchard et al., "Induction of Pigmentation in Mouse Fibroblasts by Expression of Human Tyrosinase cDNA," J. Exp. Med. 169:2029 (1989);					
	109	Orkin and Kazazian, "The Mutation and Polymorphism of the Human β-Globin Gene and its Surrounding DNA," Annu. Rev. Genet. 18:13 (1984);					
	110	Collins and Weissman, "The Molecular Genetics of Human Hemoglobin," Prog. Nucleic Acid Res. Mol. Biol. 31:315 (1984);					
	111	Lawn et al., "The Nucleotide Sequence of the Human β-Globin Gene," Cell 21:647 (1980);					
	112	Orkin and Goff, "Nonsense and Frameshift Mutations in β°-Thalassemia Detected in Cloned β-Globin Genes," J. Biol. Chem. 256:978 (1981);					
	113	Goldsmith et al., ""Silent" nucleotide substitution in a β*-thalassemia globin gene activates splice site in coding sequence RNA," Proc. Natl. Acad. Sci. USA 80:2318 (1983);					
	114	Giddings et al., "An adaptive, object oriented strategy for base calling in DNA sequence analysis," Nucl. Acids Res. 21:4530 (1993);					
	115	Trivedi et al., "Selective Amplification of Simian Immunodeficiency Virus Genotypes after Intrarectal Inoculation of Rhesus Monkeys," Journal of Virology 68:7649 (1994);					
	116	Nugent et al., "Characterization of the Apurinic Endonuclease Activity of Drosophila Rrpl," Biochemistry, 32:11445 (1993);					
	117	Bardwell et al., "Specific Cleavage of Model Recombination and Repair Intermediates by the Yeast Rad1-Rad10 DNA Endonuclease," Science 265:2082 (1994);					
	118	Orkin et al., "Abnormal RNA processing due to the exon mutation of β ⁸ -globin gene," Nature, 300:768 (1982);					
	119	Spritz et al., "Base substitution in an intervening sequence of a β'-thalassemic human globin gene," Proc. Natl. Acad. Sci. USA, 78:2455 (1981);					
	120	Baker et al., "Suppression of Human Colorectal Carcinoma Cell Growth by Wild-Type p53," Science 249:912 (1990);					
	121	Chen et al., "Genetic Mechanisms of Tumor Suppression by the Human p53 Gene," Science 250:1576 (1990);					
	122	Hollstein et al., "p53 Mutations in Human Cancers," Science 253:49 (1991);					
	123	Caron de Fromental and Soussi, "TP53 Tumor Suppressor Gene: A Model for Investigating Human Mutagenesis," Genes, Chromosomes and Cancer 4:1 (1992). Inchauspe et al., "Use of Conserved Sequences from Hepatitis C Virus for the Detection of Viral RNA in Infected Sera by Polymerase Chair Reaction," Hepatology 14:595 (1991); Miller et al., "The rpoB Gene of Mycobacterium tuberculosis," Antimicrob. Agents Chemother., 38:805 (1994);					
	124						
	125						
	126	Cockerill et al., "Rapid Identification of a Point Mutation of the Mycobacterium tuberculosis Catalase-Peroxidase (katG) Gene Associated with Isoniazid Resistance," J. Infect. Dis. 171:240 (1995);					
	127	Greisen et al., "PCR Primers and Probes for the 16S rRNA Gene of Most Species of Pathogenic Bacteria, Including Bacterial Found in Cerebrospinal Fluid," J. Clin. Microbiol. 32:335 (1994);					
	128	Widjojoatmondjo et al., "Rapid Identification of Bacteria by PCR-Single-Strand Conformation Polymorphism," J. Clin. Microbiol. 32:3002 (1994);					
	129	Maidak et al., "The Ribosomal Database project," Nucleic Acids Res., 22:3485 (1994);					
	130	McConlogue et al., "Structure-independent DNA amplification by PCR using 7-deaza-2'-deoxyguanosine," Nucleic Acids Res. 16:20 (1988);					
	131	D.S. Sigman et al., "Chemical Nucleases," Chemical Reviews 93:2295-2316 (1993);					
	132	T.R. Cech et al., "Secondary Structure of the Tetrahymena Ribosomal RNA intervening sequence, Structural homology with fungal mitochondrial intervening sequences," Proc. Natl. Acad. Sci. USA 80:3903 (1983);					
Examiner:	1	1. METTON Date Considered: 4/1/04					
		——————————————————————————————————————					

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DEC 0 6 2002

RECEIVED

		<u> </u>						
FORM PTO I (Modified)	טבר ו	2 2004 P	J.S. Department of Commerce atent and Trademark Office	Attorney Docket No.: FORS-04623	Serial No.: 09/660,924			
INFORMATION DISCLUSIURE STATEMENT BY APPLICANT (Use Saveral Sheets If Necessary) (37 CFR § 1.98(b)) BADE OTHER DOCUMENTS (Including Author, Title, D				Applicant: James E. Dahlberg et al.				
(37 CFR § 1.98(b)) BADEMAR (37 CFR § 1.98(b))				Filing Date: 09/13/2000	Group Art Unit: 1636			
	OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)							
m	133	C.R. Woese et al., "Detailed A 47:621 (1983);	ucture of 16S Like Ribosomal Ribonucleic	Acids," Microbiology Reviews				
	134	Hoheisel et al., "On The Activities of Escherichia coli Exonuclease III," Anal. Biochem. 209:238-246 (1993);						
	135	R. Youil et al., "Screening for Mutations by Enzyme Mismatch Cleavage with T4 Endonuclease VII," Proc. Natl. Acad. Sci. USA (1995);						
	136	Murphy et al., "Use of the 5' Noncoding Region for Genotyping Hepatitis C Virus," J. Infect. Diseases 169:473 (1994).						
	137	Takada et al., "HCV genotypes in different countries," Lancet 339:808 (1992).						
	138	Belkum, "DNA Fingerprinting of Medically Important Microorganisms by Use of PCR," Clin. Microbiol. Rev. 7(2): 174-184 (1994).						
	139	Wilson et al., "Amplification of Bacterial 16S Ribosomal DNA with Polymerase Chain Reaction," J. Clin. Microbiol. 28(9):1942-1946 (1990).						
	140	Bingen et al., "Use of Ribotyping in Epidemiological Surveillance of Nosocomial Outbreaks," Clin. Microbiol. Rev. 7(3):311-327 (1994).						
	141	Tabor et al., "Effect of Manganese Ions On The Incorporation of Dideoxynucleotides By Bacteriophage T7 DNA Polymerase and Escherichia coli DNA Polymerase I, Proc. Natl. Acad. Sci. USA 86:4076-4080 (1989);						
	142	Lyamichev et al., Structure-specific endonucleolytic cleaavage of nucleic acids by eubacterial DNA polymerases, Sicence vol. 260:778-783 (1993)						
	143	Seela et al., 7-deaza-dITP incorporation during PCR-amplification and protection from endodeoxyribonuclease hydrolysis, Nuc. Acids. Res. vol. 20(1):55-61 (1992)						
	144	Young et al., Detection of hepatitis C virus RNA by a combined reverse transcription-polymerase chain reaction assay, J. Clin.Microbiol. vol. 31(4):882-886 (1993)						
Examiner: Date Considered: 4/1/04								
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								

RECEIVED

DEC 0 6 2002

TECH CENTER 1600/2900